



**AGU10D-6W, 6 WATT MR16 LED BULB - GU10 BASE -DIMMABLE
30,000 HOURS - 3 IN 1 ADJUSTABLE BEAM SPREAD, EQUAL TO 35W, 3000K**

\$9.05 each

Replaces 35 W
Dimmable



SKU: AGU10D-6W

Category: [30,000 Hours - 3 in 1 Adjustable Beam Spread MR16 LED - Narrow Flood, Flood, Wide Flood](#)

GALLERY IMAGES



PRODUCT DESCRIPTION

30,000 Hours

Full Beam Spread

Anti-Glare Guard

Shatter- Resistant

Durable

Patented

Burns 15% cooler than other LED bulbs

No mercury or UV

Instant ON

Big Energy Savings! Up to \$95.70

3 Year warranty from date of purchase, complies with the Government Lighting Facts based on 3 hours per day, see light bulb packaging for further information.

6W LED Adjustable Flood Light Bulb

1

Bulb Specifications

| | |
|---------------------------------------|-------------------------------|
| Brands | Aero-Tech |
| Hours | 30,000 h |
| Bulb Finish | Clear |
| Watts | 6 W |
| Replaces | 35 W |
| Correlated Color Temperature (CCT) | 3,000 °K |
| Color | Soft White |
| Color Rendering Index (CRI) | 80 |
| Light Emitting Diode (LED) Chip Brand | Bridgelux |
| Dimmable | 1 |
| Lumens | 400 lm |
| Maximum Overall Length (MOL) | 2.1 in |
| Master/Inner Pack | 100/20 |
| Material of Diffuser | Polycarbonate (PC) + Aluminum |

| | |
|---|-----------------------------|
| Energy Efficiency Class | A+ |
| Warranty | 3 y |
| Package Type | Each |
| Weight | 3 oz |
| Lamp Base | GU10 |
| Angle Adjustable | Patented |
| Shell Finish | White |
| Alternating Current (AC)/Direct Current (DC)Voltage | 120 V |
| Beam Angle | 25 ° 40 ° 55 ° |
| Lamp Shape | Multifaceted Reflector (MR) |
| Light Emitting Diode (LED) Type | Surface Mount Device (SMD) |

Dimmer Brand

Model

| | |
|---------|------------------------|
| Lutron | W16-C01309 |
| Lutron | DVCL-153PD |
| Leviton | 1L2005 |
| Lutron | DV603P |
| Lutron | MA-600 |
| Leviton | 6633 |
| Leviton | 6672 |
| Leviton | 6631□CD-R70-06631-12A□ |
| Lutron | DV-603PH-WH |
| Lutron | DV-600PR-WH |
| Leviton | 6602□R50-6602-IW□ |